PERMIT #		
1 LIXIVII 11	LOT:	BLOC
		_

## FRAMING CHECKLIST

Instructions: Builder or Builder's representative checks boxes marked 'B'. Building Inspector checks boxes marked 'l'. Responsible Person in Charge of Work signs, initials and dates in spaces provided. Building Inspector initials and dates in spaces provided.

NOTE: ALL ITEMS SHOULD BE AS SHOWN ON THE PLANS OR AS REQUIRED BY CODE.

A.	BASEMENT	OR	CRAWL	SPACE
			CILILIE	OI TOL

A. DASEMENT OR CRAWL SPACE	
1. ANCHORAGE: BOLTS B   SPACING B   Size STRAPS B   SPACING (PER MANUFACTURER'S SPECS) B   Size	2. SILL PLATES: 3. BEAM POCKETS: 4. COLUMNS:  B   Size   B   Bearing/Shims   B   Sized per Plan   B   Grade, Species   B   Termite Protection or Clearance   B   Attrachment/Plates   B   Treatment   Spacing/Location   B   Sill Sealer   Sill Sealer   Proper Treatment over Foundation Openings (Bearing of Joist) B   Termite Protection
B. FLOOR FRAMING AND FLOOR	<u>ING</u>
1. BOX OR RIM JOIST, OR PERIMETER BAND JOIST:  1 <sup>ST</sup> 2 <sup>NO</sup> 3 <sup>RO</sup> 4 <sup>TH</sup> FLOOR  B   B   B   B   GRADE, SPECIES  B   B   B   B   SINGLE OR DOUBLE  B   B   B   B   PRE-ENGINEERED PER MARKET SPECIES  B   B   B   B   CANTILEVERS AS PER DE	B
4. FLOORING, SHEATHING, OR DECKING:  1 <sup>ST</sup> 2 <sup>ND</sup> 3 <sup>RD</sup> 4 <sup>TH</sup> FLOOR	5. STAIR ATTACHMENT:
MATERIAL  B   B   B   B   PANEL SPAN, THICKNESS	1 <sup>ST</sup> 2 <sup>HD</sup> 3 <sup>RD</sup> 4 <sup>TH</sup> FLOOR  D I B I B I B B BEARING  D I B I B I NAILING
SPECIAL REQUIREMENTS  B   B   B   B   EDGE BLOCKING (IF REQUENTED IN B   B   B   B   B   B   B   B   B   B	I hereby certify that I inspected this building using this checklist and it conforms to the released plans and to the requirements of the Uniform Construction Code, N.J.A.C. 5:23.  Building Inspector Initials:
U C C. F390-1 (rev 03/09)	Responsible Person in Charge of Work: Date: Date:

PERMIT#		LOT: BLOCK:
C. WALL FRAMING		
C. WALL FRAMING  1. EXTERIOR WALL FRAME:  1 ST 2 D 3 D 4 D FLOOR  B   B   B   B   SIZE  B   B   B   B   SPACE  B   B   B   B   CUTTING, NOTCHING  AND BORING  B   B   B   B   B   HEADER SIZES  B   B   B   B   B   JACK STUD BEARING  TOP PLATES	2. INTERIOR LOAD-BEARING WALLS:  1 <sup>ST</sup> 2 <sup>ND</sup> 3 <sup>RD</sup> 4 <sup>TH</sup> FLOOR  B [ B ] B [ B ] SIZE  B [ B ] B [ B ] B [ SPACE  B [ B ] B [ B ] B [ LAYOUT-SUPPORT BELOW PER CODE  B [ B ] B [ B ] B [ SPECIES AND GRADE  CUTTING, NOTCHING AND BORING  B [ B ] B [ B ] B [ FIRE BLOCKING  B [ B ] B [ B ] B [ HEADER SIZES	3. INTERIOR NON-LOAD-BEARING WALLS:  1 <sup>ST</sup> 2 <sup>ND</sup> 3 <sup>RD</sup> 4 <sup>TM</sup> FLOOR  B   B   B   B   SIZE  B   B   B   B   SPACE  B   B   B   B   CUTTING, NOTCHING  B   B   B   B   B   CUTTING, NOTCHING  AND BORING  FIRE BLOCKING  B   B   B   B   HEADER SIZES  B   B   B   B   TOP PLATE NAILING
B I B I B I B I NAILING B I B I B I B I LAPS B I B I B I B I RAFTER TIES B I B I B I B I HURRICANE STRAPS (AS REQUIRED)  D. ROOF FRAMING  1. TRUSS ROOF FRAMING (AS PER DESIGN):	B   B   B   B   B   B   B   B   B   B	4. SOLID SAWN ROOF FRAMING:
APPROVED DOCUMENTS WHICH SHOW:    B	(AS PER DESIGN):  B   LAYOUT B   Size B   Type B   Overlap B   Termination B   Transition (i.e., Cross) Bracing	B I SIZE B I GRADES, SPECIES LAYOUT B I SPACING B I SPAN B I BEARING B FASTENING
B   LOCATION AS PER LAYOUT B   ALIGNMENT B   BEARING B   SPACING B   CONNECTIONS TO BEARING POINTS B   NO CONNECTION TO NON-BEARING POINTS B   DAMAGE AND DEFECTS B   ENGINEERED METHOD OF REPAIR F. SHEATHING	3. GABLE END BRACING (AS PER DESIGN):	B   DAMAGE CAUSED BY FASTENERS (RAFTERS NOT SPLIT BY TOENAILS)  D   CUTTING, NOTCHING, AND BORING  B   BRIDGING  B   RIDGE SIZE  B   HURRICANE TIES WHERE APPLICABLE
1. SHEATHING - EXTERIOR WALLS:  MATERIAL  B 1 PANEL SPAN, THICKNESS  SPECIAL REQUIREMENTS  B 1 LAYOUT  B 1 CORNER BRACING (IF REQUIRE	B I PANEL SPAN, THICKNESS  SPECIAL REQUIREMENTS  B I BLOCKING, EDGE (IF REQUIRED)  B I GAPPIN	

Initials; Resp. Person in Charge of Work

Building Inspector